Data sheet

HP LaserJet Enterprise MFP M632 series



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Enterprise MFP M632h



HP LaserJet Enterprise MFP M632fht



HP LaserJet Enterprise Flow MFP M632z

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.4
- $\bullet~$ This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology. $^{\scriptscriptstyle 5}$
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.6

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscaleoptimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish thttp://www.hp.com/go//brintersThatProtect. For more information: http:// www.hp.com/go/printerscurity(claims ² HP Web letadmin is available for download at na additional charge at http://www.hp.com/go/webjetadmin ³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver,document complexity and time in sleep. ³Based on HP testing using the ENERGY STAR[®] programs' Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Liclams ⁶ More pages versus predecessor cartridges claim based on page-vield comparison of HP 37X High Yield Black Original Laser let Toner Cartridges with HP 87X High Yield Black Original Laser let Toner Cartridges. For morenformation, see http://www.hp.com/go/learnaboutsupplies ⁷ HP 37X High Yield Black Original Laser let Toner Cartridges not included; please purchase separately.

Product walkaround

HP LaserJet Enterprise Flow MFP M632z



"Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ²An administrator must enable the easy-access USB port before use. ³Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴The HP Laser let Enterprise MFP M6312, M632/h, Flow M6332, and Flow M6332, and add up to one additional optional 550-sheet paper feeders; or, they can add one of the other optional accessories (1x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCI deeder and stand) and up to one additional optional 550-sheet paper feeders; or, they can add one of the other optional accessories (1x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCI deeder and stand, or 1x550 and 2,000-sheet HCI deeder and stand, or 1x550 and 2,000-sheet HCI deeder and stand, or 1x510 and 2,000-sheet HCI deeder and stand, or 1x510 and 2,000-sheet HCI deeder and stand, or mobile device, an approdels. Switcher printing is embedded in the HP Laser/et Enterprise Flow MFP M6322, and Flow

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc









Top features

Only HP Enterprise MFPs repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds of up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence. $^{\scriptscriptstyle 6}$

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm[®]—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

ACCESSONE	ACCESSORES				
- A98189	HP LaserJet 550-sheet paper feeder				
- A06f8f	HP LaserJet Envelope Feeder				
J8J91A -	HP LaserJet 1x550-sheet paper feeder with stand and cabinet (only M632h)				
J8J92A -	HP LaserJet 1x550-sheet and 2,000-sheet HCI feeder and stand (only M632h)				
- AE9L8L	HP LaserJet 3x550-sheet paper feeder with stand (only M632h)				
B5L28A -	HP Internal USB Ports				
B5L31A -	HP Foreign Interface Harness (FIH)				
CC487A -	HP LaserJet MFP Analog Fax Accessory 500 (only M632h)				
J8031A -	HP Jetdirect 2900nw Print Server				
J8030A -	HP Jetdirect 3000w NFC/Wireless Accessory				
F5S62A -	HP Trusted Platform Module Accessory				
A7W12A -	HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese				
	HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese HP LaserJet Keyboard Overlay Kit Sweden				
A7W14A -					
A7W14A -	HP LaserJet Keyboard Overlay Kit Sweden				
A7W14A - E5K48A - Supplies	HP LaserJet Keyboard Overlay Kit Sweden				
A7W14A - E5K48A - Supplies J8J96A -	HP LaserJet Keyboard Overlay Kit Sweden HP 1GB DDR3 x32 144-Pin 800MHz SODIMM				
A7W14A - E5K48A - Supplies J8J96A - J8J87A -	HP LaserJet Keyboard Overlay Kit Sweden HP 1GB DDR3 x32 144-Pin 800MHz SODIMM HP Staple Cartridge Refill				
A7W14A - E5K48A - Supplies J8J96A - J8J87A - J8J88A -	HP LaserJet Keyboard Overlay Kit Sweden HP 1GB DDR3 x32 144-Pin 800MHz SODIMM HP Staple Cartridge Refill HP LaserJet 110v Maintenance Kit				
A7W14A - E5K48A - Supplies J8J96A - J8J87A - J8J88A -	HP LaserJet Keyboard Overlay Kit Sweden HP 1GB DDR3 x32 144-Pin 800MHz SODIMM HP Staple Cartridge Refill HP LaserJet 110v Maintenance Kit HP LaserJet 220v Maintenance Kit HP 300 ADF Roller Replacement Kit				
A7W14A - E5K48A - Supplies J8J96A - J8J87A - J8J88A - J8J95A -	HP LaserJet Keyboard Overlay Kit Sweden HP 1GB DDR3 x32 144-Pin 800MHz SODIMM HP Staple Cartridge Refill HP LaserJet 110v Maintenance Kit HP LaserJet 220v Maintenance Kit HP 300 ADF Roller Replacement Kit HP 37A Black Original LaserJet Toner Cartridge				
A7W14A - E5K48A - J8J96A - J8J87A - J8J88A - J8J95A - CF237A -	HP LaserJet Keyboard Overlay Kit Sweden HP 1GB DDR3 x32 144-Pin 800MHz SODIMM HP Staple Cartridge Refill HP LaserJet 110v Maintenance Kit HP LaserJet 220v Maintenance Kit HP 300 ADF Roller Replacement Kit HP 37A Black Original LaserJet Toner Cartridge HP 37X High Yield Black Original LaserJet Toner Cartridge				

Services

Services	
U9NK2E -	HP 5 year Next Business Day HW Support w/Defective Media Retention
U9NK5E -	HP 5 year 4 hour 9x5 Hardware Support w/Defective Media Retention
U9NK8E -	HP 5 year 4 hour 13x5 Hardware Support w/Defective Media Retention
U9NL1E -	HP 5 year NBD Call To Repair HW Support w/Defective Media Retention
U9NL4E -	HP 5 year Next Business Day Parts Exchange Service
U9NL7E -	HP 5 year Next Business Day + max 5 Maintenance Kit HW Support
U9NL9PE -	HP 5 year Next Business Day + max 5 Maintenance Kit HW Support
U9NM1PE	- HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR
U9NM3PE	- HP 2 year Post Warranty 4 hour 13x5 Hardware Support w/DMR
U9NM5PE	- HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention
U9NM7PE	- HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information, see http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information, see http://www.hp.com/go/PrintersThatProtect. For more information. See http:/

HP LaserJet Enterprise MFP M632 series

Print preview, duplex prin Ivantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, I Signer Security Save to Network Folder; Signer Security Save to Network Folder; Save To Security Save to Security	Letter:Up to 65 ppm black; ⁶ First Page Out Letter: As fast as 5.3 sec black? Black (fine lines): Up to 1200 × 1200 dpi Laser; Print Resolution Technologies: FastRes 1200; 1200 × 1200 dpi 1 (black) driver available from the Web only). HP postscript level 3 emulation, native P ting, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, stoi Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) Hardware: 600 x 600 dpi; Opticat up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 × 5.8 in Minimum; Flatbed: 220 x 365 mm; r: Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ling; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to intermet Fax; Local Address Book; SMTP over SSL;	DF printing (v 1.7), Apple AirPrint™ re printi jobs, easy-access US8 inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXI (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), CSV (OCR); Scarchable DPF (OCR), Searchable PDF (OCR), PD		
Print preview, duplex prin Ivantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, I Signer Security Save to Network Folder; Signer Security Save to Network Folder; Save To Security Save to Security	Black (fine lines): Up to 1200 × 1200 dpi Laser; Print Resolution Technologies: FastRes 1200; 1200 × 1200 dpi 1 (black) driver available from the Web only). HP postscript level 3 emulation, native P ting, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, sto Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type: Flatbed, ADF; Technology : Charge Coupled Device (CCD) Hardware : 600 × 600 dpi; Optical: up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 × 5.8 in Minimum; Flatbed: 220 × 365 mm; r : Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Intermet Fax; Local Address Book; SMTP over SSL;	DF printing (v 1.7), Apple AirPrint™ re print jobs, easy-access US8 inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), CSV (OCR), Scanchable PDF/A (OCR), HTM. (OCR), SUS (OCR), Scanchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), HTM. (OCR), HTM. (OCR), HTM. (OCR), Searchable PDF (OCR), Searchable POR (OCR), Searc		
Print preview, duplex prin Ivantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, I Signer Security Save to Network Folder; Signer Security Save to Network Folder; Save To Security Save to Security	Black (fine lines): Up to 1200 × 1200 dpi Laser; Print Resolution Technologies: FastRes 1200; 1200 × 1200 dpi 1 (black) driver available from the Web only). HP postscript level 3 emulation, native P ting, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, sto Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type: Flatbed, ADF; Technology : Charge Coupled Device (CCD) Hardware : 600 × 600 dpi; Optical: up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 × 5.8 in Minimum; Flatbed: 220 × 365 mm; r : Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Intermet Fax; Local Address Book; SMTP over SSL;	DF printing (v 1.7), Apple AirPrint™ re print jobs, easy-access US8 inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), CSV (OCR), Scanchable PDF/A (OCR), HTM. (OCR), SUS (OCR), Scanchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), HTM. (OCR), HTM. (OCR), HTM. (OCR), Searchable PDF (OCR), Searchable POR (OCR), Searc		
Print preview, duplex prin Ivantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, I Signer Security Save to Network Folder; Signer Security Save to Network Folder; Save To Security Save to Security	Laser; Print Resolution Technologies : FastRes 1200; 1200 x 1200 dpi 1 (black) driver available from the Web only), HP postscript level 3 emulation, native P ting, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, sto Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type : Flatbed, ADF; Technology : Charge Coupled Device (CCD) Hardware : 600 x 600 dpi; Optical : up to 600 dpi DF/A; Scan to easy access USB: DPD; JPEG, TIFF; MTIFF; XPS, PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility :147 mm; 2.7 x 5.8 in Minimum; Flatbed : 220 x 365 mm; r; Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	re print Jobs, easy-access USB inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEX (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), CSV (OCR); Scarchable PDF (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (prn., pcl, cht) Platform (DXP) applications; HP Scan or user application via TWAIN ADF ; 215.9 x 663.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 i Minimum; Flatbed ; 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) iDuplexLetter:Up to 180 ipm (b&w), up to 180 ipm (color) ¹¹ Optimize text/picture; Image adjustments; Job build; Output quality settin Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erse; Jr orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIF Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not a to FTS, Sea HD CAW, Ser, SHP Ser, Local Address Box(S XMPT over SSL; Blank Page Remova); Edge Erse; Auto citor Scan software not a FSL; Blank Page Remova); Edge Frase; Auto citor Scan software not a FSL; Blank Page Remova); Edge Erse; Auto citor Scan software not a FSL; Blank Page Remova); Edge Frase; Auto citor Scan software not a FSL; Blank Page Remova); Edge Frase; Auto citor Scan software not a FSL; Blank Page Remova); Edge Frase; Auto citor Scan software not Scan Stan Pore; SSL; Blank Page Remova); Edge Frase; Auto citor Scan software not SL; Blank Page Remova); Edge Frase; Auto citor Scan software not SL; Blank Page Remova); Edge Frase; Auto citor Scan software not SL; Blank Page Remova); Edge Frase; Auto citor Scan software Ner SSL; B		
Print preview, duplex prin Ivantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, I Signer Security Save to Network Folder; Signer Security Save to Network Folder; Save To Security Save to Security	driver available from the Web only), HP postscript level 3 emulation, native P tring, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, stor Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type ; Flatbed, ADF; Technology ; Charge Coupled Device (CCD) Hardware : 600 x 600 dpi; Optical: up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prnpcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility :147 mm; 2.7 x 5.8 in Minimum; Flatbed : 220 x 365 mm; r; Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to intermet Fax; Local Address Book; SMTP over SSL;	re print Jobs, easy-access USB inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEX (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (prn., pd., ch1) Platform (DXP) applications; HP Scan or user application via TWAIN ADF ; 215.9 x 663. 6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 i Minimum; Flatbed ; 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) iDuplexLetter:Up to 180 ipm (b&w), up to 180 ipm (color) ¹¹ Optimize text/picture; Image adjustments; Job build; Output quality settin Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erse; Jr notification; Blank page suppression; HPQ uick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIF Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in DCA HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in DCA HP Scan and TWAIN driver available for Scan software not included in DCA HP Scan and to internet Facx, Local Address Book; S		
Print preview, duplex prin Ivantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, I Signer Security Save to Network Folder; Signer Security Save to Network Folder; Save To Security Save to Security	titing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, stou Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) Hardware: 600 x 600 dpi; Optical: up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, XPS, PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r ;Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	re print Jobs, easy-access USB inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEX (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM. (OCR), CSV (OCR), Scanchable PDF (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (prn., pcl., cht) Platform (DXP) applications; HP Scan or user application via TWAIN ADF ; 215.9 x 663.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 i Minimum; Flatbed ; 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) : DuplexLetter: Up to 180 ipm (b&w), up to 180 ipm (color) ¹¹ Optimize text/picture; Image adjustments; Job build; Output quality settin Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erse; Jc notification; Blahx page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIF Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in to X. HP Scan and TWAIN driver available for download at http://hp.com/support		
 wantage Security Manager; HP SNMP F pression PDF, JPEG, TIFF, MTIFF, XPS, PI Print from easy access USB: PDF, i Copy; E-mail; Save to Network Folder; 53.6 mm; 8.5 x 34.0 in Maximum; 68 x prm (b&w), up to 75 ppm/120 ipm (color stments; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT prt Scan software not included in box. I ider; Save-to-USB drive; Send to Share 	Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Adm Type: Flatbed, ADF; Technology; Charge Coupled Device (CCD) Hardware: 600 × 600 dpi; OpticaL up to 600 dpi DF/A; Scan to easy access USE: DPD; JPEG, TIFF; MTIFF; XPS; PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r; Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	inistrator Resource Kit for HP Universal Print Driver Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEX (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), RTF (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CVV (OCR); Print from easy access USB: PDF, PS, PNInt Ready Files (Dr, n, pcl, ch) Platform (OXP) applications; HP Scan or user application via TWAIN ADF: 215.9 x 863.8 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 i Minimum; Flatbed: 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (DsW), up to 180 ipm (color) '1. Optimize text/picture; Image adjustments; Job build; Output quality settin Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Jc notification; Elbah Qage suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-ToPL, JPG, IFF, Scan of UNAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/Support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Sen to Sharepoint; Sel; Blank Page Remova); Edge Erase; Auco-		
pression PDF, JPEG, TIFF, MTIFF, XPS, PU Print from easy access USB: PDF, I Print from easy access USB: PDF, I S3.6 mm; 8.5 x 34.0 in Maximum; 68 x am (b&w), up to 75 ppm/120 ipm (color (b&w), up to 75 ppm/120 ipm (color strenents; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I Ider; Save-to-USB drive; Send to Share	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) Hardware: 600 x 600 dpi: Optical: up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prn., pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r:Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEX (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR), Scan to easy access USB: PDF, JPEG TIFF, MTFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready Files (.pm, .pcl, .cht) Platform (OXP) applications; HP Scan or user application via TWAIN ADF : 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 ii Minimum; Flatbed : 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Duplex:Letter :Up to 180 ipm (b&w), up to 180 ipm (color) ¹¹ Optimize text/picture; Image adjustments; Job build; Output quality settin Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erse; Jc notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTF Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/Support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/Support		
Print from easy access USB: PDF, Copy; E-mail; Save to Network Folder; 53.6 mm; 8.5 x 34.0 in Maximum; 68 x jom (b&w), up to 75 ppm/120 ipm (color stments; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I ider; Save-to-USB drive; Send to Share	Hardware: 600 × 600 dpi; Optical: up to 600 dpi DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r; Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	IO(R), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM; (OCR), CSV (OCR); Searchable PDF (OCR), Searchable PDF/A (OCR), HTM; (OCR), CSV (OCR); Searchable PDF (AOCR), HTM; (OCR), SPE, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (AOCR), HTM; (DCR), CSV (OCR); Print from easy access USE: PDF, PS, Pt (nt Ready files (pr., p.cl, ch) Platform (OXP) applications; HP Scan or user application via TWAIN ADF: 215.9 x 863.8 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 90 ppm/180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Searchable Box (Maximum; Blank page suppresion; HP Uoix Sets; HP EveryPage; Atu or orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto - tone DP; JPG, ITF, MTIF Scan and TWAIN driver available for download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to TFIS. Send Removal; Edge Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color (DA Address Book; SMPT Over SSL; Blank P		
Print from easy access USB: PDF, Copy; E-mail; Save to Network Folder; 53.6 mm; 8.5 x 34.0 in Maximum; 68 x jom (b&w), up to 75 ppm/120 ipm (color stments; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I ider; Save-to-USB drive; Send to Share	DF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; PS, Print Ready files (.prnpcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility :147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r : Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dp;; Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	IO(R), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM; (OCR), CSV (OCR); Searchable PDF (OCR), Searchable PDF/A (OCR), HTM; (OCR), CSV (OCR); Searchable PDF (AOCR), HTM; (OCR), SPE, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (AOCR), HTM; (DCR), CSV (OCR); Print from easy access USE: PDF, PS, Pt (nt Ready files (pr., p.cl, ch) Platform (OXP) applications; HP Scan or user application via TWAIN ADF: 215.9 x 863.8 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 90 ppm/180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Searchable Box (Maximum; Blank page suppresion; HP Uoix Sets; HP EveryPage; Atu or orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto - tone DP; JPG, ITF, MTIF Scan and TWAIN driver available for download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to TFIS. Send Removal; Edge Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color (DA Address Book; SMPT Over SSL; Blank P		
Print from easy access USB: PDF, Copy; E-mail; Save to Network Folder; 53.6 mm; 8.5 x 34.0 in Maximum; 68 x jom (b&w), up to 75 ppm/120 ipm (color stments; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I ider; Save-to-USB drive; Send to Share	PS, Print Ready files (.prn, .pcl, .cht) ; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility : 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r; Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dp;; Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	IO(R), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTM; (OCR), CSV (OCR); Searchable PDF (OCR), Searchable PDF/A (OCR), HTM; (OCR), CSV (OCR); Searchable PDF (AOCR), HTM; (OCR), SPE, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (AOCR), HTM; (DCR), CSV (OCR); Print from easy access USE: PDF, PS, Pt (nt Ready files (pr., p.cl, ch) Platform (OXP) applications; HP Scan or user application via TWAIN ADF: 215.9 x 863.8 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 90 ppm/180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (b&w), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (color) '1: Uptexcl.etter:Up to 180 ipm (bacw), up to 180 ipm (color) '1: Searchable Box (Maximum; Blank page suppresion; HP Uoix Sets; HP EveryPage; Atu or orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto - tone DP; JPG, ITF, MTIF Scan and TWAIN driver available for download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to TFIS. Send Removal; Edge Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color S, MPD over SSL; Blank Page Removal; Edge Frase, Auto Color (DA Address Book; SMPT Over SSL; Blank P		
33.6 mm; 8.5 x 34.0 in Maximum; 68 x m (b&w), up to 75 ppm/120 ipm (color stments; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I lder; Save-to-USB drive; Send to Share	147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; r: Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm; Letter:Up to 30 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) 'JDuplexLetter:Up to 180 ipm (b&w), up to 180 ipm (color)'' Optimize text/picture; Image adjustments; Job build; Output quality settin Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Frase; 0 notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF. JPG, TIF, MHT: Scan software not Included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Col		
om (b&w), up to 75 ppm/120 ipm (color stments; Job build; Output quality setti ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I ider; Save-to-USB drive; Send to Share	r: Duplex: Letter: Up to 120 ipm (b&w), up to 120 ipm (color) ¹¹ ing; Selectable scan resolution 75 to 600 dp;, Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	Minimum; Flatbed: 220 x 365 mm; Letter:Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) :Duplex:Letter:Up to 180 ipm (b&w), up to 180 ipm (color) :Duplex:Letter:Up to 180 ipm (b&w), up to 180 ipm (color) :Duplex:Letter:Up to 180 ipm (b&w), up to 180 ipm (color) Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Jo notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-one PDE. JPG, TIF, MIT: Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available fo download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to LTN Fage Removal; Edge Erase; Auto Colo Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colo		
stments; Job build; Output quality sett ession; HP Quick Sets PDF, JPG, TIF, MTI art Scan software not included in box. I lder; Save-to-USB drive; Send to Share	ing; Selectable scan resolution 75 to 600 dp;, Auto detect color; Edge Erase; IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support 	(color) :DuplexcLetter:Up to 180 ipm (b&w), up to 180 ipm (color) ¹¹ Optimize text/picture; Image adjustments; Job build; Output quality setting Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Jo notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF; JPG, TIF, MTIF Scan software not included in box. HF Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP, Send to LAN Fax; Send to Internet Fax; Local Address Box(S XMTP over SSL; Blank Page Remova); Edge Frase; Auto Cal		
ession; HP Quick Sets PDF, JPG, TIF, MT ort Scan software not included in box. I lder; Save-to-USB drive; Send to Share	IF Scan software not included in box. HP Scan and TWAIN driver available for HP Scan and TWAIN driver available for download at http://hp.com/support Internal: 30 bit ; External: 24 bit/ 256 ePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Jo notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TiF, MITF Scan software not included in box. HF Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP, Send LAN Fax; Send to Internet Fax; Local Address Box(; SMTP over SSL; Blank Page Removal; Edge Faxe; Auto Col		
	Point; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colo		
	Point; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL;	Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colo		
Standard Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF Ad		Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR		
Black (Letter): Up to 65 cpm				
Black (text and Graphics): Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF) Up to 9999 copies				
Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to ID Copy, Book Copy, A-to-B Copy (different media sizes)				
Up to: 33.6 kbps ⁵				
	Black (best): Up to 300 x 300 dpi (400 x 400 dpi	or received faxes only); Black (standard): 203 x 98 dpi		
	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax addres	s book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		
io; Fax Telephone Mode Supported: No	Fax Forwarding Supported: Ves; Fax Phone TAM Interface Supported: Ves; Tax Poling Supported: Ves (poll to receive only); Fax Telephone Mode Supporte No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Rem Retrieval Capability Supported: No; Telephone Handset Supported: No;			
1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible);		gration Pocket; 1 Fax		
Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless n (optional).				
Ready Standard (built-in Gigabit Ethernet) Capability Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A inting Capability HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0				
				Chandrada a construction of the
	IB (scanner); Maximum: 2 GB Total	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Total		
	ndard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 har			
pose feeder, 550-sheet input feeder, der; Up to 650 sheets standard; Up to	 150-sheet automatic document feeder, 550-sheet input feeder with stan, and cabinet; Up to 1200 sheets standard; Up to 75 envelopes labels legal Output Capacities; 500-sheet ouput feeder, two-sided printing; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard)Auto Document Feeder Capacity: Standard, 150 sheets; Envelope Feeder; Yes, 73 (optional); Standard Paper Trays; 3; Media Types Supported: Paper (pain, 	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder 150-sheet automatic document feeder, 2000-sheet input feeder with 55 ; sheet input feeder; Up to 3200 sheets standard; Up to 75 envelopes label legal; Output Capacities: 500-sheet ouput feeder, 500 sheet output staple stacker, two-sided printing; Up to 1000 sheets standard labels legal; Ouput		
c	pose feeder, 550-sheet input feeder, der; Up to 650 sheets standard; Up to Capadities: 500-sheet ouput feeder leets standard labels legal; Duples Document Feeder Capacity: Standard 5 (optional); Standard Paper Trays: 2 n, light, bond, recycled, heavy, extra	pose feeder, 550-sheet input feeder, for Up to 550 sheet standard; Up to Scapatities: 500-sheet ouput feeder, feeder, up to 550 sheet input feeder with stan Gapatities: 500-sheet ouput feeder, standard; Up to 750 Output Capacities: 500-sheet ouput feeder, two-sided printing; Up to 500 Sheets standard labels legal; Duplex Output Capacities: 500-sheet ouput feeder, two-sided printing; Up to 500 sheets standard labels legal; Duplex Standard Paper Trays: 2; Document Feeder Capacity; Standard, 150 sheets; Fine-WeitpeFeeder, Yes, 75 Sheet Standard, 150 sheet Standard, 150 sheets; Fine-WeitpeFeeder, Yes, 75 Sheet Standard, 150 sheet Standar		

HP LaserJet Enterprise MFP M632 series

Technical Specifications	HP LaserJet Enterprise MFP M632h(J8J70A)	HP LaserJet Enterprise MFP M632fht(J8J71A)	HP LaserJet Enterprise Flow MFP M632z(J8J72A)		
Product Dimensions	W x D x H: 20.15 x 22 x 25.2 in; 512 x 558 x 640 mm Maximum: 40.5 x 31.7 x 34.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	WxDxH: 26.15 x 26 x 43.2 in; 665 x 600 x 1094 mmMax/mum: 40.5 x 35 x 53.7 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 890 x 1356 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	WxDxH: 26 x 25.9 x 48.5 mm; 661 x 658 x 1234 mmMaxImum; 40.5 x 35 x 59.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)		
Product Weight	33.2 kg73.2 lb	52.5 kg115.8 lb	64.3 kg141.8 lb		
What's in the box	HP Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ¹				
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.				
Energy Efficiency Compliance			ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver; EPEAT® Gold (Options AAZ, 201)		
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)		8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard		
Display Description	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)				
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals				
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-8 64-bit editions, (Homos Y all 32-8, 64-bit editions, (Homos Y all 32-8				
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services, 32- and 64-bit, Citrix XenApp 5.0/6.5/T Gr Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenApp 5.0/6.5/T Gr Windows Server 2008 R2 SP1 and Services, 32- and 64-bit, Citrix XenApp 5.0/6.5/T Gr Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenApp 5.0/6.5/T Gr Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenApp 5.0/F. Vitrix VenApp 7.5/F (Dr Windows Server 2012 R2 Terminal Services, 32- and 64-bit), Citrix XenApp 5.0/F. Vitrix XenApp 5.5/F (Dr Windows Server 2012 R2 Terminal Services, 4-bit), Novell Deen Enterprise Server 1/SP1, Novell Open Enterprise Server 2012 R2 Terminal Services, 64-bit], Novell Lover Server 2003/2003 R2 32-6/4-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-6/4-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1)/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1)/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1)/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit (SP1)/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2016/Citrix Services), Windows Server 2016/Citrix Services), Windows Server 2016/Citrix Services), Services 2012/2012 R2 64-bit Standard/Foundation/Essential/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/Citrix Services), Services 2012/2012 R2 64-bit Standard/Foundation/Essential/				
Minimum System Requirements	quirements PC: 2GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more				
Power	Power Supply Type: Built in 115V or 220V Power Supply; Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; ²				
Acoustics	Acoustic Power Emissions: 7.0 Bel; Acoustic Pressure Emissions: 56 dB(A)	Acoustic Power Emissions: 7.0 Bel; Acoustic Pressure Emissions: 54 dB(A)	Acoustic Power Emissions: 6.9 Bel; Acoustic Pressure Emissions: 54 dB(A)		
Operating Environment	Operating Temperature Range: 15 to 32.5°C; Recommended Operating Temperature: 15 to 27°C; Storage Temperature Range: -20 to 40°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% R Recommended Humidity Operating Range: 30 to 70% RH				
Security Management	g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 ardware integration pocket for security solutions; Intrusion Detection with Red elsting – loads only known good code (DLLs, EXEs,); Security management: ble in Arcsight and Splunk SIEMs				

¹ Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 v device. ³ Average color composite (*C/MY*) and black declared yields based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on the protein formation, visit http://www.hp.com/go/learnaboutsupplies ⁴ Basared using ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on the protein formation and MRR encoding, the PI fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy S

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

